

Acetaminophen/Ibuprofen Dosage Chart

Acetaminophen (Tylenol® or another brand)

Give every 6 hours as needed. Do not give more than 4 doses in 24 hours.

Weight in pounds (lbs.)	Acetaminophen liquid (160mg/5ml)
5-6.5 lbs.	40 mg (1.25 ml)
6.5-8 lbs.	48 mg (1.5 ml)
8-10.5 lbs.	64 mg (2 ml)
10.5-13 lbs.	80 mg (2.5 ml)
13-16 lbs.	96 mg (3 ml)
16-20.5 lbs.	120 mg (3.75 ml)
20.5-26 lbs.	160 mg (5 ml)
26-32 lbs.	192 mg (6 ml)
32-41 lbs.	240 mg (7.5 ml)
41-53 lbs.	320 mg (10 ml)
53-65 lbs.	400 mg (12.5 ml)
65-90 lbs.	480 mg (15 ml)
90 lbs. and over	650 mg (20 ml)

Ibuprofen (Advil®, Motrin®, or another brand)

Give every 6 to 8 hours as needed; always with food.

Do not give more than 4 doses in 24 hours.

Weight in pounds (lbs.)	Ibuprofen suspension (100mg/5ml)
8-14 lbs.	50 mg (2.5 ml)
14-20 lbs.	75 mg (3.75 ml)
20-25 lbs.	100 mg (5 ml)
25-30 lbs.	125 mg (6.25 ml)
30-38.5 lbs.	150 mg (7.5 ml)
38.5-50 lbs.	200 mg (10 ml)
50-60 lbs.	250 mg (12.5 ml)
60-72 lbs.	300 mg (15 ml)
72-82.5 lbs.	350 mg (17.5 ml)
82.5-94 lbs.	400 mg (20 ml)
94-105 lbs.	450 mg (22.5 ml)
115-126 lbs.	550 mg (27.5 ml)
126-154 lbs.	600 mg (30 ml)
154 lbs. and over	800 mg (40 ml)



Questions?

This sheet is not specific to your child but provides general information.

If you have any questions, please call your clinic or pharmacy.